

Angus V



Colour included
in the price



Angus V 1780 x 680
colour: RAL 7021

KTX 4 heating element, black
Integrated thermostatic valve with immersion tube, angled, right, chrome
SLIM thermostatic head, chrome
ZIP V hanger


Angus V



Colour included
in the price

design: Artes Design

Connections:



We recommend:

3-axis thermostatic valve set with an option of installing a heating element through the valve for SX connection




REG 3 heating element



Integrated pipe-masking set



Available sizes:



Specifications:

Working pressure: 0,8 MPa Maximum operating temperature: 95°C


A ↓	B ↔	C1 [mm]	C2 [mm]	75/65 20°C [W]	55/45 20°C [W]	☺ [W]	D [mm]	E [mm]	F [mm]	U [dm³]	⚖️ [kg]	Product Code	Configuration codes: 5
1140	360	50	320	421	219	400	320	960	90	5,18	11,20	WGANG114036	
1300	440	50	400	557	291	600	400	1120	90	6,92	14,96	WGANG130044	
1460	520	50	480	711	372	800	480	1280	90	8,88	19,20	WGANG146052	
1620	600	50	560	905	477	1000	560	1440	90	11,07	23,93	WGANG162060	
1780	680	50	640	1116	595	1200	640	1600	90	13,48	29,14	WGANG178068	

Angus V





Colour included
in the price


SX




ZX



Y1




Y8



A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Profile:





Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The construction of a water and dual fuel radiator product and configuration code:

WGALE054030

K916SX

PRODUCT CODE
(located in the table for the product)

CONFIGURATION CODE
(supplemented by hand)

Configuration

K 916 SX

Package code Colour code Connection code
K – carton box

Zinc powder primer

C – Code of zinc powder primer is an extra processes

WLALE054030 K916SX **C** — *Extra processes or additions code*

Angus V



 Colour included
in the price

Legend



Available in chrome finish.



Radiator available in a “water” version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a ‘heating medium’ and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.
The icon shows the flow and return connections for the radiator as well as the thermostat valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.